
| L | REVISIONS | | | | | | | | |
|---|-----------|--|-----------|---------|----------|--|--|--|--|
| | REV | DESCRIPTION | DATE | INITIAL | APPROVED | | | | |
| | 1 | ADDED NOTE TO SHEET 1 REF, EUROCOPTER T/N: 332A933090009, -11, -13 ADDED DIMS (2X 12°) AND .75. ADDED DETAIL A. CORRECTED TIP DETAIL TO BE FLAT ON BOTTOM. ADDED P/N'S TO ENGRAVE TABLE. C.H'D ENGRAVE NOTE WAS "RBEA93-3090-00" is 7/N: "RBE332A93-3090-00", P/N. S/N, "MADE IN USA"15 ADDED DIMS (2X 12°) AND .75. ADDED DETAIL C. CORRECTED TIP DETAIL TO BE FLAT ON BOTTOM. CH'D ENGRAVE NOTE WAS "RBEA93-3090-00" is T/N: "RBE332A93-3090-00", P/N: "RBE332A93-3090-13, S/N, "MADE IN USA"17, -19, -21, -23 CH'D FLAG NUMBERS. ADDED -29, -31 TO BOM. | 2/18/2014 | DPD | RJC | | | | |



| | | ASSY QTY | ASSY QTY | В/О | Part # | UNIT | Description | Material | B/O INFORMATION OR SPECIFICATIONS | PG. | |
|------------|------------|-------------|-------------|-----|--------|------|--------------|--------------|--|-----|---|
| | | | Х | | -1 | 1 | 45° ASSEMBLY | | (AVD RBE332A93-3090-10) | 2 | |
| | | Х | | | -3 | 1 | 55° ASSEMBLY | | (AVG RBE332A93-3090-11) | 3 | NOTES |
| | Х | | | | -5 | 1 | 60° ASSEMBLY | | (ARD RBE332A93-3090-12) | 4 | NOTES: 1. REF. EUROCOPTER T |
| X | | | | | -7 | 1 | 15° ASSEMBLY | | (ARG RBE332A93-3090-13) | 5 | 2. NSN: 5210-14-537-5 |
| | | | 1 | | -9 | | 45° | 4130 | 3/16 X 1-1/2 X 7 | 6 | 2. 11311. 3210-14-337-33 |
| | | 1 | | | -11 | | 55° | 4130 | 3/16 X 1-1/2 X 7 | 6 | ® RED BAR |
| | 1 | | | | -13 | | 60° | 4130 | 3/16 X 1-1/2 X 7 | 6 | KR KED DAK |
| 1 | | | | | -15 | | 15° | 4130 | 3/16 X 1-1/2 X 10-1/8 | 7 | SHI |
| | | | 1 | B/O | -17 | | FLAG | PLASTIC | 13-1/2 X 1-1/4 W/GROMMET EUGENE CANVAS | 8 |) SUI |
| | | 1 | | В/О | -19 | | FLAG | PLASTIC | 13-1/2 X 1-1/4 W/GROMMET EUGENE CANVAS | 8 | DWG NO. RBE332A |
| | 1 | | | В/О | -21 | | FLAG | PLASTIC | 13-1/2 X 1-1/4 W/GROMMET EUGENE CANVAS | 8 | UNLESS OTHERWISE SPECIFIED |
| 1 | | | | B/O | -23 | | FLAG | PLASTIC | 13-1/2 X 1-1/4 W/GROMMET EUGENE CANVAS | 8 | DIMENSIONS ARE IN INCHES TOLERANCES ON: |
| 1 | 1 | 1 | 1 | В/О | -25 | | LANYARD WIRE | COATED STEEL | Ø1/16 X 6" LOOP/LOOP CARR-LANE #CL2C | 2-5 | DECIMALS |
| 2 | 2 | 2 | 2 | В/О | -27 | | SPLIT RING | STEEL | Ø7/8 MCMASTER-CARR #90177A217 | 2-5 | .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ±.5° |
| 2 | 2 | 2 | 2 | B/O | -29 | | FERRULE | ALUMINUM | Ø1/16 X 3/8 MCMASTER-CARR #3896T31 | 2-5 | UNLESS OTHERWISE SPECIFIED |
| | | | | B/O | -31 | 1 | PISTOL CASE | PLASTIC | RSR SPORTS #10137 | NS | 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R |
| ASSY -7 | ASSY -5 | ASSY -3 | ASSY -1 | | | | | | | | 2. DIMENSIONAL LIMITS APPLY AFTER PLAT SCALE 1:6 DATE 6 |

- T/N: 332A93309000.
- 5545.

RN MACHINE

IIM KIT

493-3090-00

DRAWN BY: GILBERT APPROVED


ATING

SPEC USED ON MODEL AS332 SHEET 1 OF 9

REV

6/2/2011

| | revisions | | | | | | | | | |
|-----|--|-----------|---------|----------|--|--|--|--|--|--|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED | | | | | | |
| 1 | -1 ADDED -2917 CH'D FLAG NUMBER WAS AVD RBEA933090 1 IS AVD RBE332A93-3090-10. | 2/18/2014 | DPD | RJC | | | | | | |




TITLE SHIM KIT DWG NO. REV RBE332A93-3090-00-1 DRAWN BY: GILBERT APPROVED UNLESS OTHERWISE SPECIFIED

1. BREAK ALL SHARP EDGES USED ON MODEL .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING AS332 SCALE DATE 6/2/2011 SHEET 2 OF 9 1:4

RED BARN MACHINE

(-1)


| | REVISIONS | | | |
|-----|--|-----------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | -3 ADDED -2919 CH'D FLAG NUMBER WAS AVG RBEA933090 3 IS AVG RBE332A93-3090-11. | 2/18/2014 | DPD | RJC |



| RB RI | ED BARN | 1 MA | CHINE | | | | | |
|--|---------------------|-------------------|-------|--|--|--|--|--|
| TITLE | SHIM | KIT | | | | | | |
| DWG NO. | RBE332A93-3090-00-3 | | | | | | | |
| UNLESS OTHERV | | DRAWN BY: GILBERT | | | | | | |
| TOLERANCES ON: | KE IN INCHES | APPROVED 7 Weil | | | | | | |
| DECIMALS | ACTIONS ± 1/32 | HEAT TREAT | | | | | | |
| .XX ± .01 .X ± .1 | ANGLES ±.5° | FINISH | | | | | | |
| UNLESS OTHERW | ISE SPECIFIED | SPEC | | | | | | |
| 1. BREAK ALL SI | HARP EDGES | USED ON MODEL | | | | | | |
| .015 x 45° PR 2. DIMENSIONAL LIMITS A | ì | AS332 | | | | | | |
| SCALE 1:4 DATE 6/2/2011 SHEET | | | | | | | | |

-3)


| | REVISIONS | | | |
|-----|--|-----------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | -5 ADDED -2921 CH'D FLAG NUMBER WAS ARD RBEA933090 5 IS ARD RBE332A93-3090-12. | 2/18/2014 | DPD | RJC |



| ® RED | BARN | MAG | CHINE | | | | |
|---|-----------------------------|-------------------|---------|------|--|--|--|
| TITLE | SHIM | KIT | | | | | |
| DWG NO. RBES | DWG NO. RBE332A93-3090-00-5 | | | | | | |
| UNLESS OTHERWISE | | DRAWN BY: GILBERT | | | | | |
| TOLERANCES ON: | N INCHES | APPROVED 7 Weil | | | | | |
| DECIMALS | IONS ± 1/32 | HEAT TREAT | | | | | |
| VV ± 04 | GLES ±.5° | FINISH | | | | | |
| UNLESS OTHERWISE | SPECIFIED | SPEC | | | | | |
| 1. BREAK ALL SHAR | P EDGES | USED ON MODEL | | | | | |
| .015 x 45° PR .015 2. DIMENSIONAL LIMITS APPLY | | AS332 | | | | | |
| SCALE 1:4 | DATE 6/2/ | 2011 | SHEET 4 | OF 9 | | | |


(-5)


| | REVISIONS | | | |
|-----|--|-----------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | -7 ADDED -2923 CH'D FLAG NUMBER WAS ARG RBEA933090 7 IS ARG RBE332A93-3090-13. | 2/18/2014 | DPD | RJC |



| | RB | RED | BA | RN | MAC | CHINE | | |
|-----------------------|--------------------------|----------------------------|---------|--------|----------------------|--------------|------|--|
| SHIM KIT | | | | | | | | |
| RBE332A93-3090-00-7 | | | | | | | | |
| TOLER DECIM | DIMENSIONS ARE IN INCHES | | | | | F D W | ril | |
| .XX ± .01 ANGLES ±.5° | | | | | FINISH SPEC US | SED ON MODEL | | |
| 2. DIMEN | | 45° PR .019 IMITS APPLY | AFTER P | LATING | | AS332 | | |
| SCALE | 1 | :4 | DATE | 6/2/ | 2011 | SHEET 5 | OF 9 | |

(-7)






1.2

DOUBLED

GROMMET

- 13.5 -

| | REVISIÓNS | | | |
|-----|---------------------------------------|-----------|---------|----------|
| REV | DESCRIPTION | DATE | INITIAL | APPROVED |
| 1 | -17, -19, -21, -23 CH'D FLAG NUMBERS. | 2/18/2014 | DPD | RJC |





FLAG

NOTE: 9/16 ARIAL TEXT, -17 SHOWN

| | | RB | REI | D BA | RN | MA | \C | NIF | E | |
|---|--------|----|------|------|----|-----|----|-----|----|-----|
| I | TITLE | | | SH | M | KIT | | | | |
| | DWG NO | | V 03 | 3000 | 00 | 17 | 10 | 21 | 22 | REV |

RBE332A93-3090-00-17, 19, 21, 23₁ 1 UNLESS OTHERWISE SPECIFIED DRAWN BY: GILBERT **DIMENSIONS ARE IN INCHES** PART# FLAG NUMBER TOLERANCES ON: DECIMALS APPROVED -17 AVD RBE332A93-3090-10 .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ±.5° -19 AVG RBE332A93-3090-11 UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES USED ON MODEL -21 ARD RBE332A93-3090-12 .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING AS332 -23 SCALE DATE ARG RBE332A93-3090-13 6/2/2011 SHEET 8 OF 9 1:3

